




 HFSecurity --
Biometric Tablet Series

FP09

Biometric Android
POS Terminal



www.hfsecurity.cn



FP09 FUNCTIONS



Fingerprint

FBI certified
Fingerprint sensor



RFID

NFC / RFID card
reader




Barcode Scan

Built-in 1D / 2D
barcode reader



Printer

Built-in 58mm
thermal printer



Hardware

CPU MTK	OS Android 11.0	Dimension 217.6(L)*85.66(W)*52.36(H)mm	LCD Display 5.5", 720*1280"
ROM 16GB	RAM 2GB	Barcode scanner 1D/2D barcode function standard; PDF417 code (Optional)	Card Magnetic trip and smart chip card
Thermal Print Width: 58mm, Speed: 80mm/s	Camera Front: 5.0 M, Rear: 8.0M	RFID Support 13.56MHz, S50, S70, Mifare	PSAM 1 slot, Support PSAM card, company with the UnionPay standard (optional function)
MIC Built-in microphone	Speaker Built-in stereo speaker 8Ω/1.5W	GPS Support for A-GPS, positioning speed	TF Card 1x mini SD card up to 128 G
SIM Card Support 2 SIM card	Battery DC 7.4V/5000mAh Lithium Battery	Power charge Type C and adapter	Digital-Pen signature function Support (Sample not come with pen) (Optional)

Communication

Bluetooth Bluetooth 4.0	WiFi 802.11 b/g/n	Data link 3G/4G/GPRS	USB Type C with OTG function
-----------------------------------	-----------------------------	--------------------------------	--

Fingerprint Sensor

Sensor FBI sensor (FAP10)	Imaging area 18.00mm*12.80mm	Image Size 256*360 pixels	Image resolution 508DPI
Image Format WSQ, RAW, JPG, etc	Standard Support ANSI378, ISO19794-2/-4	Gray scale 8-bit (256 levels)	

